STANDARD BIDDING DOCUMENTS

SUPPLY OF LAB EQUIPMENTS & CHEMICAL



Samtse College of Education

Samtse, Bhutan

2023



प्र्युगाःकुषायहेवायार्श्वनास्थे

SAMTSE COLLEGE OF EDUCATION



Ref: 37/SCE-Ouot /2023-2024/ 27

Date: 6th July 2023

The General Manager Advertisement Division **Kuensel Corporation** Thimphu.

Sir/Madam,

The undersigned would like to request your office to kindly publish the following notice inviting tender in your newspaper dated 7th July 2023 and bill may be sent to us for payment:

SAMTSE COLLEGE OF EDUCATION NOTICE INVITING TENDER

Samtse College of Education is pleased to invite sealed tender from the eligible license holders for the supply and services of the following items for the financial year 2023-2024.

Sl. No	Particulars				
1	Supply of Stationery items				
2	Supply of Hardware, Electrical & Plumbing items				
3	Supply of Games & Sports items				
4	Supply of IT equipment & Accessories				
5	Supply of Science laboratory equipment & chemical				
6	Supply of Vegetables, Grocery and Meat items				
7	Supply of Library Books				

The bidding documents can be downloaded from our website http://www.sce.edu.bt of Samtse College of Education. The last date for submission of tender is 27th July 2023 at 12:00 PM and it will be opened on the same day at 2:30 PM.

For any further inquiry, please contact Administrative Section at 05-365273, during working hours.

President

Yours sincerely.

(Rinchen Dorji, PhD

PRESIDENT

1	Package	3
2	Quotation	Supply of Lab Equipments and Chemical
3	Last date of submission	27 th July,2023 at 12pm
4	Place of submission	Office of Store In-Charge
5	Date of opening	27 th July, 2023 at 2.30pm
6	Place of opening	Conference Hall
7	EMD	Nu. 12000 (Twelve Thousand only)



Supply of Lab Equipment's & Chemicals 2023-2024

TERMS AND CONDITIONS

- 1. The rates quoted shall be CIF Samtse College of Education for the supply of Lab equipment items. Generally, the rates quoted shall be inclusive of all charges/levies/taxes which the suppliers shall bear.
- 2. The quotation should be accompanied by the valid trade license issued by the Ministry of Economic Affairs and the Tax Clearance Certificate issued by the Department of Revenue and Customs, Royal Government of Bhutan, as the enclosure. Quotation without a valid trade license and tax certificate as enclosure shall be rejected.
- 3. The tender shall be accompanied by an application to the PRESIDENT, Samtse College of Education.
- 4. Sealed envelopes containing the quotation shall be marked **Original** and **Duplicate** in separate envelopes. The quotation will be opened in the Conference Hall, Samtse College of Education on 24th July 2023 at 2.30 PM.
- 5. The rates quoted shall be valid for a period of 12 months from the date of quotation.
- 6. Goods should be supplied within 30 days from the date of issue of the purchase order.
- 7. Earnest money of Nu.12000.00 (Twelve thousand) only should be furnished in the form of Cash Warrant/Bank Draft/Unconditional bank guarantee in favour of the **PRESIDENT**, Samtse College of Education. Quotation without earnest money shall be rejected.
- 8. The College reserves the right to vary the quantity up to 10% on the same terms and conditions.
- 9. All equipment supplied must be as per the specification and any fake item noticed shall be rejected, returned at the supplier's cost and shall be dealt with as per Clause 18 of the terms and conditions.
- 10. The College reserves the right to reject all or any tender without assigning any reason.
- 11. If the supplier fails to supply the required quality and quantity of goods, the College Administration will forfeit the earnest money and terminate the contract without any explanation and the supply order will be given to the next evaluated lowest bidder.



- 12. Failing to submit the quotation within the submission dateline shall be declared as 'late' and rejected. The same would be returned unopened to the supplier.
- 13. The rules and regulations for the establishment and operation of Industrial and Commercial ventures must be adhered to with regard to the establishment of license ventures.
- 14. The rates should be quoted against the specification provided and failing to quote in conformity with the specification shall be disqualified for evaluation.
- 15. The purchaser shall not be responsible for any damage, loss or due incident that occurred during the transportation. The supplier will be fully responsible for making them good at his own cost.
- 16. The supplier should have a warranty of one year from the date of delivery.
- 17. The supplier should be able to supply the material immediately during the time of emergency and if the bidder fails to supply the required material the bidder shall bear the expenses to purchase from another supplier for the College, Samtse.
- 18. The committee will directly reject the tender if the supplier supplies duplicate/fake or compromised material and the College Administration will forfeit the earnest money and terminate the contract without any explanation and the supply order will be given to the next evaluated lowest bidder.
- 19. If the selected bidder fails to supply the goods within the stipulated time, the liquidated damages of Nu.0.1% per day of the bill amount will be imposed.
- 20. Pursuant to the condition above, the second-lowest bidder at his quoted rate shall be asked to supply the goods after submitting performance security to the College Administration.
- 21. The performance security retained with the College shall be refunded to the concerned supplier after the completion of the supply of goods.
- 22. The College will process the bills for payment only upon complete delivery of the goods to the College.
- 23. Decision taken by the College Tender Committee will be final and binding.
- 24. In addition to the terms and conditions mentioned above, all other relevant regulations of the Procurement Manual 2009, shall apply where specific mention is not made.



Physics Quotation 2023-2024

	Ι	I hysics Quotation 2020 2021		
Sl.No	Items	Description and details(minimum specification of goods to be supplied)	QTY	Rate(NU)
1	Electronics hobby kits	Electronic Components Project Kit or Breadboard, Capacitor, Resistor, LED, Switch with Multimeter	Per No	
2	LED for electronics	LED Light Emitting Diodes LED Lamp Kit 5 Colors 5mm(300Pcs) Educational Electronic Hobby Kit	Per No	
3	dc motor kits	12V 7000-14000 RPM DC Motor Kit with 6-Pieces Small Electronic and Cylindrical, 2-Piece6-9 V and 2-Piece 3-9V Dual Shaft Toy DC Motor	Per No	
4	water pump kits	Submersible Mini water pump DC 3-9v for DIY Science Projects with 9v, AA Holder, Switch and pipe complete set	Per No	
5	Portable sun photometer	Hanna HI96713C Phosphate LR Portable Photometer	Per No	
6	sunlight meter	SunKnown UV light photometer calculates the sun's UV Index using its internal sensor and algorithm, combining both solar UVA and UVB in a single measurement.	Per No	
7	New simple closed circuit experiment box	It include single-pole double throw switch 3pcs. 5 battery case 6pcs. Light bulb holder 3pcs. U shape wire 10 pcs. Thickend package box and manual book.	Per No	
8	Digital Multimeter set	capable of measuring AC/DC voltage up to 1000 volts 4,AC/DC current up to 10Amperes 5,resistance up to 50 Mega Ohm 6 and measuring frequency up to 100KHz 7 with manual book and all accesories.	Per No	
9	seismometer	sensitive instrument that can detect waves emitted by even the smallest earthquakes.	Per No	
10	Bar Magnet	chrome steel in pairs with keepers 5cm long, good quality	Per Pairs	
11	Gold leaf electroscope	used for detecting and measuring static electricity or voltage.	Per No	



12	solar cell with motor	it consists of a simple puley,dia:16mm and capable of raising a mass of at least 4g. PE-237/17535	Per No	
13	Spring balance tubular plastic set of six SV193	Made of Transparent acrylic pipe. Spring mechanism is clearly visible. Provided with zero adjustment and two hooks. Scaled and calibrated in both grams and newtons. Capacity 250gm/2.5N Blue, 500gm/5N Green, 1000gm/10N Biege, 2kg/20N Red, 3kg/30N White & 5kg/50N Yellow.	Per No	
14	Polarization of light and verification of malus law SK045	it consists of the following items: He-Ne laser, Optical bench- 1.5m,Connecting leads pair 1m,Digital multimeter, Polarizer / Analyzer -2 Nos,Transverse saddle,Photo detector,Flexible plug lead red,Flexible plug lead black.	Per No	
15	BIOT SAVART'S LAW SK022	it concists of the following items: Optical bench,Set of 3 circular loops with holders ,Power supply 0-30 V DC, 0-20 A ,Gauss meter with axial probe ,Flexible plug lead (100 cm)-red ,Flexible plug lead (100 cm)- black ,Saddle ,Saddle with micrometer.	Per No	
16	FARADAY'S LAW & INDUCED E.M.F SED1003	it concists of the following items: Einstien LabMate+,Einstein Voltage Sensor, Support Base, Support Rod, Three Fingle Clamp -2 Nos, Bosshead -3 Nos, Coil N=700, L=75mm, Dia=32mm, Coil N=1150, L=75mm, Dia=32mm, Cylindrical Magnet, Tube 300mm,Digital Timer, Photogate.	Per No	
17	Free Fall apparatus sk021	it concists of the following items: g' by free fall,Digital Timer with photogate pair, Steel Ball,Solenoid interface, Electromagnet,Picket fence ten slits,L Picket,Lead, Black (200cm), Lead, Red (200cm),Pendulum bob (Brass),Pendulum bob (Iron), Pendulum Support -2 Nos,Thread Reel.	Per No	
18	Projectile motion SK088	it concists of the following items: Projectile Launcher, Digital timer with photogate pair.	Per No	



19	Timing Ball SV684	Device that records time of flight from moment of release of ball to the moment of impact (on ground or object). It can be used to conduct a number of experiments involving acceleration due to gravity (g).	Per No	
20	colour mixture SV195	it concists of the following items: color mixer control box, Power adaptor, Six leds in circular frame, Circular frame with hole, Circular frame screen, U-channel bench 50cm, Object rider-3 Nos, Instruction manual.	Per No	
21	Plank's constant by Cs photocell SK054	It consists of the following items: Power Supply 12V AC/DC 5Amp,Photocell,Mercury Light Source,Convex lens in holder,Iris Diaphragm, Set of Color Filters (Indian/Imported),Electrometer Amplifier,Capacitor, 100 pF, 630 V,Push Switch module,Digital multimeter,Optical bench,Transversal Saddle, Flexible plug lead red (50 cm),Flexible plug lead black(50 cm),Flexible plug lead Yellow (100 cm),Flexible plug lead Yellow (50 cm)-2 Nos,Flexible plug lead black(100 cm), Flexible plug lead Red(100 cm),Earthing Lead.	Per No	
22	Thermal and electrical conductivity of metals SK068	It cocnsists of the following items: Conductivity rod Cu,Conductivity rod Al,Calorimeter Vessel,Calorimeter Vessel with rod holder,Laboratory jack,Digital weighing balance,Immersion heater,Temperature sensor -3 Nos, Data Logging Interface,Three finger clamp-3 Nos, Support base (Cat no. SH319+SH317)-1+1 No, Support rod (Cat no. SH323+SH316)-1+1 No, Bosshead-5 Nos,Power supply 20Amp,Microvoltmeter, Connecting lead-4Nos,Glass beaker.	Per No	



23	Specific Heat of Solids SK051	It cocnsists of the following items: 'A' shaped base, Three finger clamp, Dewar Flask, Bosshead-2 nos, Rod (0-50cm), Steam Chamber, Beaker, Copper-C9823 -1 No, Lead-R8211 -1 No, Glass-R8222 -1No, Round Bottom Flask, Rubber cork - 2Nos, Spirit Lamp, Digital Thermometer, Digital weighing scale, Silicone Tubing, 1.5m.	Per No
24	Laser Ray Kit SV144A	It cocnsists of the following items: Diode laser box ,Power adaptor ,Beam selector,Human eye sheet,Photo camera sheet,Galilean telescope sheet,Kepler telescope sheet,Spherical aberration sheet,Periscope sheet,Hartles circle sheet,Bi-convex lens no 1,Bi-convex lens no 2, Bi-convex lens no 3,Bi-convex lens no 4,Bi-concave lens no 5, Plane convex lens r=45mm,Plane convex lens r=75mm, Plane concave lens, Concave mirror,Convex mirror,Plane mirror,Rectangular slab, Prism, Optical Fiber,Magnetic board, Instruction manual	Per No
25	LED Array Kit SA028	It cocnsists of the following items: LED Array, Power Adopter 5V DC, Diffraction grating, Connecting lead -4 Nos, Multimeter -2Nos, Instruction manual.	Per No
26	Champion Sports Open Reel Measure Tape	100 ft, 30 Meters, with Metal Spike, Hand Crank-Open Tape Measure for Track and Field, Long Jump - Durable, Dual-Sided Measuring Reel with Feet and Meter.	Per No



27	Mechanics Kit SH305	It cocnsists of the following items: Base Support -2 NO, Rod 35cm -2NO, Rod with hole 40cm ,Rod 25cm , Rod 50cm - 2 Nos ,Connecting rod ,Double scale with bosshead (mm) ,Bosshead-4 Nos ,Beam balance with needle pointer ,Pan with hook-2 NOS ,Solid aluminium cylinder ,Beaker 250ml ,Graduated cylinder 100ml ,Archimedes bucket ,Weight box ,A scale with clip ,S-shaped hook-2Nos , Dynamometer 1.5N ,Dynamometer 3N, Friction wooden block,Digital watch, A spring 1N,A spring 2.5N,A pair of indicator,A aluminum parallelogram,Meter tape,A thread 10m,Trolley Plash,Instruction manual.	Per No
		Consumable items.	
1	Crooke's Radiometer/light mill.	Consists of an airtight glass bulb containing a partial vacuum, with a set of vanes which are mounted on a spindle inside. The vanes rotate when exposed to light, with faster rotation for more intense light, providing a quantitative measurement of electromagnetic radiation intensity.good quality.	Per No
2	concave mirror	focal length 15 cm	Per pcs
3	concave mirror	focal length 20 cm	Per pcs
4	convex mirror	focal length 20 cm	Per pcs
5	convex mirror	focal length 15cm	Per pcs
6	convex lens	focal length 12cm	Per pcs
7	convex lens	focal length 10cm	Per pcs
8	concave lens	focal length 10cm	Per pcs
9	concave lens	focal length 15cm	Per pcs
	Spiral spring	Used to store energy and subsequently release it, to absorb shock, or to maintain a force between contacting surfaces. They are made of an elastic material formed into the shape of a helix which returns to its natural length when unloaded.	Per No
11	Torch bulb holder		Per No



12	Breadboard		Per No	
13	Meter scale	50cm hard wood.	Per pcs	
14	Meter scale	100cm hard wood.	Per pcs	



Chemistry Quotation 2023-2024 Sl.Nos Name Specifation Rate (NU) Remarks **CONSUMABLE ITEMS** 1 Methyl red indicator 500ml MERCK 2 Brucine Sulfate 500g MERCK 3 Ethanol 500ml MERCK 4 Diphenylindicator 500ml MERCK MERCK 5 Petroleium either 500ml 6 Potassium chloroplatinate 500g MERCK 7 selenium powder 500g MERCK 8 zironyl chloride ocathydrate 500g MERCK 500g MERCK 9 Ferric sulphate 10 Ferrion indicator 500ml MERCK 500g 11 LAS MERCK 12 Macroeticular resign 500g MERCK 13 Ammonium solution 500ml MERCK 14 Aluminium Chloride 500g MERCK 15 Zinc Chloride 500g MERCK 16 Methyl acetate MERCK 500g 17 Propionic acid 500ml **MERCK** 18 Aniline 500ml MERCK 19 Dimethyl Pheylamine 500ml MERCK 20 M-Dinitro Benzene 500g MERCK 21 Ether 500g MERCK 500g 22 Manganous Sulphate **MERCK** 23 Potassium iodate 500g **MERCK** 24 Sodium sulphide 500g MERCK 25 Eolochrome Black T 500ml **MERCK** 500g MERCK 26 Siliver Sulphate 27 Siliver Nitrate MERCK 500g



28	Ammonium Thiocynate	500g	MERCK	
	Ammoium dichromate	500g	MERCK	
30	Ammonium nitrate	500g	MERCK	
31	Ammoniumchloride	500g	MERCK	
32	Aluminium nitrate	500g	MERCK	
33	Ammonium bicarbonate	500g	MERCK	
34	Ammonium chloride	500g	MERCK	
35	Copper sulphate	500g	MERCK	
36	Calcium powder	500g	MERCK	
37	Calcium nitrate	500g	MERCK	
38	Calcium chloride	500g	MERCK	
39	Magnesium Chloride	500g	MERCK	
40	Manganous chloride	500g	MERCK	
41	Zinc Sulphite	500g	MERCK	
42	Zinc Nitrate	500g	MERCK	
43	Felling solution B	500ml	MERCK	
44	Molish's Reagent	500ml	MERCK	
45	Nessler Reagent	500ml	MERCK	
46	Litmus solution red	500ml	MERCK	
	Tollen's Reagent	500ml	MERCK	
48	Sodium thiosulphate	500g	MERCK	
	Baurite ore	500g	MERCK	
		500ml	MERCK	
	Iodine Solution	500ml	MERCK	
	Nitric acid	500ml	MERCK	
53	Oxalic acid	500ml	MERCK	
	Acetic acid	500ml	MERCK	
55	Methanol	500ml	MERCK	
	Ferric sulphate	500g	MERCK	
	Zinc Sulphate	500g	MERCK	
	Zinc Nitrate	500g	MERCK	
	Starch soluble	500g	MERCK	
60	Acetone	250ml/500ml	MERCK	



61 N	Molish's reagent	500g	MERCK	
62 I	Hydrogen Peroxide 30%	500ml	MERCK	
63 S	Sodium Hydroxide	500g	MERCK	
64 F	Phenol	500ml	MERCK	
65 A	Ammonium Hydroxide	500g	MERCK	
66 I	Litmus paper Red		100leaves per pack.	
67 I	Litmus paper Blue		100leaves per pack.	
68 U	Universal indicator paper		100leaves per pack.	
69 S	Strach paper		100leaves per pack.	
70 I	Hydrochloric acid	500ml	MERCK	
71 I	Iodine crystal	500g	MERCK	
72 F	Beryllium carbonate	500g	MERCK	
73 F	Potassium Iodide	500g	MERCK	
74 (Copper sulphate	500g	MERCK	
75 I	Isoprophyl alcohol	500ml	MERCK	
76 2	2-Methylpropan-2-ol	500ml	MERCK	
	Zinc sulphate	500g	MERCK	
	Propanol	500ml	MERCK	
79 S	Sodium Hydrogen Sulfite	500g	MERCK	
80 5	Schiff's Reagent	500ml	MERCK	
81 2	Zinc Chloride	500g	MERCK	
82 F	Benzaldehyde	500ml	MERCK	
83 A	Acetaldehyde	500ml	MERCK	
84 F	Butanol	500g	MERCK	
	Chlorobenzene	500ml	MERCK	
	Glucose	500g	MERCK	
87 I	Iodobenzene	500g	MERCK	
88 A	Acetophenone	500ml	MERCK	
89 F	Bromobenzene	500ml	MERCK	
	Chloroform	500ml	MERCK	
	Sulphuric acid	500ml	MERCK	
	Potassium Iodide Paper	per number	100leaves per pack.	
93 U	Universal Indicator Chart	per number	Good quality	



94 U-Tube	per number	Borosil for salt bridge	
	sets or per	This Stirring rod is made of soft flint glass, with both ends	
95 Stirring rod	number	fire-polished and rounded.Glass Stirring Rod 8".	
		Material: Silica, capacity: 50ml, Usage/Application:	
		Chemical laboratory, Colour: White, Shape: Round,	
		Packinging type: Box, Weight:110g, Temperature: 700 to	
96 Silica crucible with lid	per number	1100 degree celcius, Height: 33mm.	
	per number	50ml	
07 De alzar(Prosil)	per number	20ml	
97 Beaker(Brosil)	per number	1000ml	
	per number	100ml	
	per number	1ml	
00 Dropporo(vith and dusting	per number	10ml	
98 Droppers(with graduation,	per number	25ml	
	per number	5ml	
99 Pipette Filler	per number	10ml	
99 Pipette Filler	per number	25ml	
		Practical holder for anchoring burettes vertically on the	
		support stand.	
		• The volume scale remains clearly readable.	
		Moulded in Polypropylene making it completely	
		corrosion proof	
		• The spring loaded jack in the middle provides a vice like	
		grip to the Burette and	
		prevents it from slipping	
		• Two tapered wedges are provided to ensure firm grip on	
		rods having dia 1/2" or 3/8" (Ø 9,6 - 12,7 mm)	
100 Burette clamp	per number	(2), = ==, ===,	
r		EISCO CH0688 Labs Clamp Retort, 3 PVC Coated Prongs	
		(opens to 90mm in dia.) with Boss Head	
101 Clamps	per number		
1	per number	10ml	
	per number	25ml	



102	Volumatric flask	per number	50ml	
		per number	100ml	
		per number	500ml	
103	Nitrile Chemical Resistant Gloves		Durable, Protection against chemicals, diesel fuel, petrol and oil, Good anatomical fit applied for maximum comfort, 3-4 times longer life-span than equivalent vinyl/PVC gloves.	
		per number		
104	Burette	per number	Polycarb(plastic burette)	
105	Burette	per number	Brosil	
		per number	5ml	
106	Measuring cylinder(brosil)	per number	1ml	
100		per number	50ml	
		per number	25ml	
		number	250ml	
107	Conical flask	number	100ml	
		number	500ml	
	Copper Wire	rolls	Insulated with threat, 20mtrs length.	
109	Nichrome wire with loop	per number	Alloys of nickel and chromium, 10 pcs per packet.	
	Digital Thermometer	per number	0.01°C Sensitivity	
	Thermometer	per number	0.01°C Sensitivity	
	Tygon tubing	per number	12mm daimeter and 10 meter length	
113	Aspirator	per number	Borosil	
			Cut Resistant, Heat Resistant above 1500 degree celsius,	
			Flame Resistant, Heat Preservation. Size: Free size and	
	Gloves	sets/pkt	Wear type: full fingered.	
	Crucible tong	sets/number	Stainless steel(50cm long)	
	Kipps apparatus	per number	Kipps apparatus	
117	Filter paper	rolls	Size 20cm	



	1		T1	
			These styrofoam calorimeter cups (7.5 cm inside diameter,	
			10 cm deep) have 1.3 cm thick walls for excellent thermal	
110			properties. The lids have a hole for a temperature probe.	
	Calorimeter cup	Number	Includes set of six cups with lids.	
	Glass tough	Number	Borosil	
	Ammeter	Number	Range from 0-5 amper	
121	Voltmeter	Number	Range from 0-5 volt	
	Fire safety jacket for		Heat resistance, Fire resistance, Woolen linen attached, Easy	
122	operating Muffle furnace.	Per n or sets	to wash,Do not bleach	
	operating with the rumace.		and Shrink resistance	
	Garaghial I Garagan and		Size:53-63cm,Color:	
123	face shield for operating Muffle furnace.	per number	White,Blue,Green,Yellow,Orange,Material:High impact	
	Muffle furnace.		resistance ABS and Visor Polycarbonate,8"	
124	Spatula	sets or per numb	stainless steel(20cm long)	
		PMENTS		
			5ltrs	
1	Ice box (medium size)	per number	10 Litre	
2	Digital Balance	per number	KERRO P7B, BL- 2204. Max: 220gm and Div- 0.1mg.	
			capable of measuring AC/DC voltage up to 1000 volts	
			4,AC/DC current up to 10Amperes 5,resistance up to 50	
3	Digital Multi meter set	per number	Mega Ohm 6 and measuring frequency up to 100KHz 7.	
			Capacity: 2-5 L, max temp.: capaable of operating upto	
			200 C(hot plate only), variable speed. Control cabinet	
			finished: aluminium powder coated. Feature: included with	
4	Magnetic stirrer	per number	hot plate. Complete accessories present.	
<u> </u>		P	A front window sash made up of tempered glass that acts	
			as a shield for the operator against hazardous aerosols. A	
			stainless steel sink installed inside the hood which is	
			resistant to the vapors, Colour: Various ,Size:	
			1200/1500/1800*800*2350mm	
_	Fume hood	per number	1200/1300/1000 000 2330Hilli	
	Tume nood	lber namber		



Biology Quotation 2023-2024

SL.NO	Particulars	Quantity	Specifications	Rate (NU)	Remarks
	Equipments list				
	1 Ganong's Potometer	Per number	Borosilicate Glass		
	Ganong's Potometer with		with strong wooden stand and borosilicate glass		
	2 wooden base	Per number	apparatus		
			Fitted with motor for vibration free performance & 5		
			step regulator. Elegant finish with powder coated		
	3 Centrifuge Round	Per number	paint. Works on 220V/230V AC . (15 mls x 8Tubes)		
			Automatic inflate, oscillometric, Liquid crystal		
			Display. Rated cluff pressure: 0mmHg-300mmHg;		
	Digital Blood pressure		Mesurement pressure: 40mmHg-230mmHg, Pulse		
4	4 monitor	Per number	value:(40-199)times in minute.		
			Outside made of mild steel with powder coated paint. Inside made up of aluminium/stainless steel. The		
			double wall door with asbestos gasket lining is fitted		
			on heavy brass cast chromium plated hinges and has a		
			chromium plated latch type lock. Temperature can be		
			controlled from few degree above ambient to 70°C by		
			thermostat. Works on 220/230V AC supply with or		
:	5 B.O.D incubator	per number	without air circulating fan.	Sample	
			Outside made of mild steel with powder coated paint.	-	
			Inside made up of aluminium/stainless steel with 2/3		
			shelves. Inside ccrylic glass door. Temperature is		
			controlled with microprocessor PID digital temp.		
			controller to get temperature from 5° to 60°±1° to		
			work on 220/230V AC. Fitted with two air		
(6 Incubator		circulating fans.		



	II . 1		1.5 m of mains cable and one each coated magnetic	
7	Hot plate with Mangnetic		stirring bars, 20 mm and 40 mm long with support	Comple
/	stirrer	per number	rod	Sample
			Strain gauge sensors system 1.5" (38mm) LCD	
			digits, Auto zero – Auto off	
			Low battery / over load indication	
0	Digital weighing Scale	D 1	Power: 1x CR 2032 3V Lithium batteries.Capacity:	
8	\	Per number	200kg	
	Consumables			
	Cork	sets	Rubber cork with different size in set	
	Gloves	sets	Nitrile gloves with high resistant to chemicals	
	Hand lens	sets	75mm, 50mm	
	Beaker	Per number	250ML, 500ML(Borosil)	
5	Brain (Model)	Per number	well labelded in English	
6	Animal Cell(Model)	Per number	well labelded in English	
7	Human Ear (model)	Per number	well labelded in English	
8	Eye Model	Per number	well labelded in English	
9	Ice Bucket	Per number	5 L	
10	Watch Glass	Per number	75mm, Borosil	
11	Bloting paper	sets	NICE	
12	Test tube	sets/number	50ml Borosil	
13	Forceps	sets	Stainless steel with sharp point	
14	Grid quadrat	Per number	one metre square	
15	Kick Sampler Net/ Triangu	Per number	Frame size of 25x25cm, Mesh size- 0.5µm	
	Water boots	Per number	King size, medium size	
17	Lens Cleaning Tissues	pkt	Brand -Nice	
18	Meter scale	Per number	Wooden, 100cm	
19	Ice Tray	Per number	Durable rigit ice tray, 600ML	
	•		For checking the pH, Nitrogen, Phosphorous &	
20	Soil testing Kit	Per number	Potassium Availability in soil, (NICE).	
21	Water Testing kit	Per number	For the estimation of Total Hardness	



22	Water Testing kit	Per number	For the estimation of Total Alkalinity & PH	
	Water Testing Kit	Per number	Estimation of Fluoride, Chloride & residual chlorine	
	Specimen sorting Tray	Per number	Polythene laboratory white tray	
25	First Aids Box	Per number	Packed in a plastic with all necessary present.	
26	Cryotags	Per number	Round	
27	Polythene bag	Per number	Polythene	
28	Spring balance	Per number	With metric graduations, capacity 10kg	
29	Wash bottle	Per number	Polythene	
30	Field rain coat	Per number	Big and medium sizes, best quality	
31	Files (Reti)	sets	Having three sizes	
			Clear Hard Coat lens, (Meets ANSI z87.1-2010	
32	Googles (spectacles)	sets/numbers	standards)	
33	Lab coat	Per number	XXL,XL & medium	
	Measuring tape	Per number	50ml	
35	Distilled Water	per litre	Demineralised water, Nice	
	Permenant Slide			
1	Plant cell	Per number	Clear and good quality	
2	Animal cell	Per number	Clear and good quality	
3	Mitosis stages(All)	Per number	Clear and good quality	
4	Meiosis stages(All)	Per number	Clear and good quality	
5	Bacteria	Per number	Clear and good quality	
6	Nerve cell	Per number	Clear and good quality	
	Cardiac muscle	Per number	Clear and good quality	
	striated muscle	Per number	Clear and good quality	
	Mammalian Pencras (T.S)		Clear and good quality	
10	Monocot steam	Per number	Clear and good quality	
11	Dicot steam	Per number	Clear and good quality	
	Monocot leaf	Per number	Clear and good quality	
	Dicot leaf	Per number	Clear and good quality	
	Monocot root	Per number	Clear and good quality	
15	Dicot root	Per number	Clear and good quality	



	Chemicals			
1	Sodium Chloride	500g	MERCK	
2	Sodium carbonate	500g	MERCK	
3	Sodium bicarbonate	500g	MERCK	
4	Agar Agar (used for the ba	500g	MERCK	
5	Auxin	500g	MERCK	
6	Indole acetic acid	500ml/250ml	MERCK	
7	Sucrose	500g	MERCK	
8	Seliwanoff's reagent	500ml	MERCK	
9	Barfoed reagent	500ml	MERCK	
10	Bials reagent	500ml	MERCK	
11	Eoxin solution	500ml	MERCK	
12	Maltose	150g	MERCK	
13	Ribose	150g	MERCK	
14	Glycerine	500ml	MERCK	
15	Spirit	L	MERCK	
16	Monoclonal Antibodies (A	sets	MERCK	
17	Safarine solution	500ml	MERCK	

